



| Part # | Laser Toner/Print Cartridge |
|----------|---|
| C950X2KG | C950 Black Extra High Yield Toner Cartridge |
| C950X2CG | C950 Cyan Extra High Yield Toner Cartridge |
| C950X2MG | C950 Magenta Extra High Yield Toner Cartridge |
| C950X2YG | C950 Yellow Extra High Yield Toner Cartridge |
| C950X71G | C950, X95x Photoconductor Unit 1-Pack |
| C950X73G | C950, X95x Photoconductor Unit 3-Pack |
| C950X76G | C950, X95x Waste Toner Bottle |
| 25A0013 | Staple Cartridges (3 pack) |
| 21Z0357 | Booklet Saddle Staple Cartridges (4 pack) |
| Part # | Memory Options |
| 1025041 | 256MB DDR2-DRAM |
| 1025042 | 512MB DDR2-DRAM |
| 1025043 | 1024MB DDR2-DRAM |
| 14F0245 | 256MB Flash Card |
| 27X0014 | 160+ GB Hard Disk |
| 30G0287 | Arabic Font Card |
| 30G0828 | Japanese Font Card |
| 30G0825 | Korean Font Card |
| 30G0826 | Simplified Chinese Font Card |
| 30G0827 | Traditional Chinese Font Card |
| Part # | Application Solutions |
| 22Z0183 | C950 Card for IPDS |
| 22Z0184 | C950 Card for PRESCRIBE Emulation |
| 22Z0182 | C950 Forms and Bar Code Card |
| 57X9000 | Lexmark PrintCrypton Card |
| Part # | Connectivity |
| 27X0025 | MarkNet N8250 802.11b/g/n Wireless Print Server |
| 14F0037 | MarkNet N8120 Gigabit Ethernet Print Server |
| 14F0042 | MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server |
| 14T0220 | MarkNet™ N7020e Gigabit Ethernet Print Server |
| 1021294 | USB Cable (2-meter) |
| 14F0000 | Parallel 1284-B Interface Card |
| 1021231 | Parallel Cable (10-foot) |
| 14F0100 | RS-232C Serial Interface Card |
| Part # | User Replaceable Parts |
| 40X7550 | C950, X95x Fuser Maintenance Kit, 320K, 110-120V |
| 40X7540 | C950, X95x 160K Maintenance Kit |



Lexmark 950

| Part # | Model |
|---------|---|
| 22Z0000 | Lexmark C950de |
| Part # | Paper Handling |
| 22Z0014 | C950, X95x 2520-Sheet Tandem Tray Module |
| 22Z0013 | C950, X95x 3x520-Sheet Drawer Stand |
| 22Z0012 | C950, X95x 520-Sheet Drawer Stand |
| 22Z0016 | C950, X95x 3500-Sheet Finisher (3-Hole) |
| 22Z0017 | C950, X95x Booklet Finisher (3-Hole) |
| 22Z0015 | C950, X95x 2000-Sheet High Capacity Feeder |
| Part # | Extended Warranties |
| 2354207 | C950 2-Years Total Onsite Service, Next Business Day |
| 2354208 | C950 3-Years Total Onsite Service, Next Business Day |
| 2354209 | C950 4-Years Total Onsite Service, Next Business Day |
| 2354210 | C950 5-Years Total Onsite Service, Next Business Day |
| 2354211 | C950 1-Year Onsite Service Renewal, Next Business Day |
| Part # | Installation Service |
| 2354214 | C950 Install, De-Install Service |

In the box

Lexmark C950de color printer, Up to 11,000*-page color (CMY) toner cartridges, Up to 16,000*-page black toner cartridge, Black, cyan, magenta, and yellow photoconductor units, Software and Documentation CD, Power Cord(s), Setup Guides (network and local attachment), Statement of limited warranty / guarantee, Lexmark Cartridge Collection Program information

*Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

Lexmark950

Lexmark C950de

| Printing | |
|---------------------------------------|--|
| Print Technology | Color LED |
| Print Speed (Letter, Black): Up to | 50 ppm |
| Print Speed (Letter, Color): Up to | 45 ppm |
| Time to First Page (Black) | As fast as 5.2 seconds |
| Time to First Page (Color) | As fast as 7.7 seconds |
| Print Resolution, Black | 1200 x 1200 dpi, 2400 Image Quality |
| Print Resolution, Color | 1200 x 1200 dpi, 2400 Image Quality |
| Memory, Standard | 1024 MB |
| Memory, Maximum | 2048 MB |
| Print Noise Level, Operating | 53 dBA |
| Maximum Monthly Duty Cycle: Up to | 225000 pages per month |
| Recommended Monthly Page Volume | 4000 - 33000 pages |
| Supplies | |
| Supplies Yield | 22,000 ² -page color (CMY) Toner Cartridges, 32,000 ² -page Black Toner Cartridge |
| Paper Handling | |
| Paper Handling Standard | 500-Sheet Output Bin, Integrated Duplex, 100-Sheet Multipurpose Feeder, 520-Sheet Input Tray |
| Paper Handling Optional | 2,000-Sheet High-Capacity Feeder, 3,500-Sheet Finisher, 3 x 520-Sheet Drawer Stand, Booklet Finisher, 2,520-Sheet Tandem Tray Module, 520-Sheet Drawer Stand |
| Paper Input Capacity, Standard: Up to | 620 pages 20 lb or 75 gsm bond |
| Paper Input Capacity, Maximum: Up to | 5140 pages 20 lb or 75 gsm bond |
| Media Types Supported | Card Stock, Envelopes, Glossy Paper, Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide |
| General | |
| Product Warranty | 1-Year Onsite Service, Next Business Day |
| Size (in. - H x W x D) | 22.24 x 25.20 x 26.97 in. |

Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

Footnotes

- ¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008
- ² Average continuous black or composite CMY declared cartridge yield in accordance with ISO/IEC 19798.
- ³ Change Language is an option during installation.
- ⁴ Illustration shows enlarged description of touch screen.



Trademarks

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. PANTONE® is a registered trademark of Pantone, Inc. This product features Adobe® Flash® technology. For further information, visit <http://www.adobe.com/software/flash/about/>

Peripheral Company, Inc
800-321-PECO (7326)

LEXMARK
TM